This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Appl. No.: Unknown

Atty. Docket: BIODOT.028C1



Appl. No.: Unknown Atty. Docket: BIODOT.028C1



Atty. Docket: BIODOT.028C1 Appl. No.: Unknown





FIG. 2B

Appl. No.: Unknown

Atty. Docket: BIODOT.028C1






Appl. No.: Unknown


Atty. Docket: BIODOT.028C1





Appl. No.: Unknown Atty. Docket: BIODOT.028C1

6/28




F/G. 4

Appl. No.: Unknown

Atty. Docket: BIODOT.028C1

7/28



F/G. 5

Appl. No.: Unknown Atty. Docket: BIODOT.028C1





FIG. 6

Appl. No.: Unknown Atty. Docket: BIODOT.028C1



Atty. Docket: BIODOT.028C1

10/28





FIG. 8

Atty. Docket: BIODOT.028C1





Atty. Docket: BIODOT.028C1




FIG. 9B

Appl. No.: Unknown

Atty. Docket: BIODOT.028C1

13/28






FIG. 9C


Appl. No.: Unknown Atty. Docket: BIODOT.028C1




Appl. No.: Unknown Atty. Docket: BIODOT.028C1



Atty. Docket: BIODOT.028C1



Appl. No.: Unknown Atty. Docket: BIODOT.028C1




F/G. 100

MAPPING


Atty. Docket: BIODOT.028C1

18/28



F/G. 10E

Atty. Docket: BIODOT.028C1




F/G. 11

Churchill et al.

Appl. No.: Unknown


Atty. Docket: BIODOT.028C1

20/28




Churchill et al.

Appl. No.: Unknown Atty. Docket: BIODOT.028C1




METHOD AND APPARATUS FOR HIGH-SPEED MICROFLUIDIC... Churchill et al.

Appl. No.: Unknown Atty. Docket: BIODOT.028C1



METHOD AND APPARATUS FOR HIGH-SPEED MICROFLUIDIC ... Churchill et al.

Atty. Docket: BIODOT.028C1



METHOD AND APPARATUS FOR HIGH-SPEED MICROFLUIDIC...

Churchill et al.

Appl. No.: Unknown Atty. Docket: BIODOT.028C1





FIG. 15



Churchill et al.

Appl. No.: Unknown Atty. Docket: BIODOT.028C1




FIG. 17

METHOD AND APPARATUS FOR HIGH-SPEED MICROFLUIDIC...

Churchill et al.

Appl. No.: Unknown Atty. Docket: BIODOT.028C1




FIG. 18

METHOD AND APPARATUS FOR HIGH-SPEED MICROFLUIDIC...

Churchill et al.

Appl. No.: Unknown Atty. Docket: BIODOT.028C1

28/28




FIG. 19